

imgfax 







Fast imaging treats life better

Single-Use, Clean Forever



Revolutionizing Safety, Transforming Care

1. Clean forever to prevent cross-infection.
2. Start with a single-use endoscopy service at a low cost.
3. Portable and lightweight.
4. High-resolution imaging, easy to insert and position.
5. No repairing costs anymore.



Features of Single-Use Endoscope



Clean forever



Affordable price



Lightweight



High-resolution
imaging



No repairing
costs



Single-use



Application Direction



Pulmonology


Single-Use Bronchoscope



Urology

Single-Use Ureteroscope

Imgfax Single-Use Bronchoscope



Product Specifications

	Large 5.8/3.2	Regular 4.8/2.6	Regular Pro 4.2/2.2	Slim 3.8/1.6	Ultra Slim 2.8/1.2	
Insertion Section	Model	Large 5.8/3.2	Regular 4.8/2.6	Regular Pro 4.2/2.2	Slim 3.8/1.6	Ultra Slim 2.8/1.2
	Insertion Tube Outer Diameter	Φ5.8mm	Φ4.8mm	Φ4.2mm	Φ3.8mm	Φ2.8mm
	Working Channel Inner Diameter	3.2mm	2.6mm	2.2mm	1.6mm	1.2mm
	Resolution	400 * 400				
	Working Length	650mm				
Optical System	Field of View	120°				
	Direction of View	Foreard viewing				
	Depth of Field	5-50mm				
	Light Source	LED				
Bending Section	Deflection Angle	Up180°, Down 180°				
	Total Length	860mm				



Imgfax Monitor 1

Model: Monitor 1

Power Supply Input: DC12V

Screen Size: 12.1"


Resolution: 1280*720

External Interface: TYPE-C, HDMI output, three-phase power interface.

Screen: Capacitive touchscreen


Functions: White balance, brightness control, image capture, video capture

Imgfax Single-Use Ureteroscope



Product Specifications

	Large 8.4	Regular 7.5	Slim 6.6	Ultra Slim 6.0	
Insertion Section	Model	Large 8.4	Regular 7.5	Slim 6.6	Ultra Slim 6.0
	Insertion Tube Outer Diameter	2.8mm (8.4Fr)	2.5mm (7.5Fr)	2.2mm (6.6Fr)	2.0mm (6.0Fr)
	Working Channel Inner Diameter	1.2mm (3.6Fr)	1.2mm (3.6Fr)	1.2mm (3.6Fr)	0.8mm(2.4Fr)
	Resolution	400 * 400			
Working Length	650mm				
Optical System	Field of View	120°			
	Direction of View	Foreard viewing			
	Depth of Field	3-100mm			
	Light Source	LED			
Bending Section	Deflection Angle	Up 275°, Down 275°			
	Total Length	860mm			



Imgfax Monitor 1

Model: Monitor 1

Power Supply Input: DC12V

Screen Size: 12.1"

Resolution: 1280*720

External Interface: TYPE-C, HDMI output, three-phase power interface.

Screen: Capacitive touchscreen

Functions: White balance, brightness control, image capture, video capture



"Follow Us"

About **Imgfax**

Fast imaging treats life better

A fast-rotating windmill, just like the fast imaging of Imgfax.

We specialize in handheld ultrasound, single-use endoscopy, and are committed to providing compact, intelligent, and fast imaging devices.


Our mission is to improve lives.

For clinicians, greater convenience, less time.
For patients, more compassion, less discomfort.

Come and join us for a better life.

imgfax 

Imgfax Co., Ltd.

 Unit I220, 15th Floor, Building 8, Area A, Hantian Technology City, Nanhai, Foshan, Guangdong, China.

 www.imgfax.com
 info@imgfax.com